

Conforms to HazCom 2012/United States

SAFETY DATA SHEET



Galleon® SC

Galleon® SC

Aquatic Herbicide

Section 1. Identification

GHS product identifier

: Galleon® SC Aquatic Herbicide

Other means of identification

: Not available.

EPA Registration No.

: 67690-47

Supplier's details

: SePRO Corporation

11550 North Meridian Street

Suite 600

Carmel, IN 46032 U.S.A. Tel: 317-580-8282 Toll free: 1-800-419-7779 Fax: 317-580-8290

Monday - Friday, 8am to 5pm E.S.T.

www.sepro.com

Emergency telephone number (with hours of

operation)

: INFOTRAC - 24-hour service 1-800-535-5053

The following recommendations for exposure controls and personal protection are intended for the manufacture, formulation and packaging of this product. For applications and/or use, consult the product label. The label directions supersede the text of this Safety Data Sheet for application and/or use.

Section 2. Hazards identification

Hazard classification This material is not hazardous under the criteria of the Federal OSHA Hazard Communication

Standard 29CFR 1910.1200.

Other hazards No data available

Section 3. Composition/information on ingredients

Chemical Nature: Mixture This product is a mixture.

Component	CASRN	Concentration
Penoxsulam	219714-96-2	21.7%
Propylene glycol	57-55-6	4.5%
Balance	Not available	73.8%

Sepro

SDS Galleon[®] SC

Section 4. First aid measures

Description of first aid measures

General advice: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or

ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket

mask etc). Call a poison control center or doctor for treatment advice.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

Eye contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control

center or doctor for treatment advice.

Ingestion: No emergency medical treatment necessary.

Most important symptoms and effects, both acute

and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms

and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for

treatment.

Section 5. Fire-fighting measures

Suitable extinguishing media: To extinguish combustible residues of this product use water fog, carbon dioxide, dry

chemical or foam.

Unsuitable extinguishing

media: No data available

Special hazards arising from the substance or mixture

Hazardous combustion

products: Under fire conditions some components of this product may decompose. The smoke may

contain unidentified toxic and/or irritating compounds. Combustion products may include and

are not limited to: Sulfur oxides. Nitrogen oxides. Hydrogen fluoride. Fluorinated

hydrocarbons. Carbon monoxide. Carbon dioxide.

Unusual Fire and

Explosion Hazards: This material will not burn until the water has evaporated. Residue can burn.

Sepro

Advice for firefighters

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire

exposed containers and fire affected zone until fire is out and danger of re-ignition has passed. To extinguish combustible residues of this product use water fog, carbon dioxide, dry chemical or foam. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the

Galleon® SC

"Ecological Information" sections of this (M)SDS.

Special protective equipment

for firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Use appropriate safety equipment. For additional information, refer to Section 8, Exposure

Controls and Personal Protection.

Environmental precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section

12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic

organisms.

Methods and materials for

containment and cleaning up: Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt.

Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact SePRO Corporation for clean-up assistance. See Section 13, Disposal Considerations, for

additional information.

Section 7. Handling and storage

Precautions for safe handling: Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing.

Avoid breathing vapor or mist. Wash thoroughly after handling. Use with adequate ventilation.

See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

Conditions for safe storage: Store in a dry place. Store in original container. Keep container tightly closed when not in use.

Do not store near food, foodstuffs, drugs or potable water supplies.

Section 8. Exposure controls/personal protection

Control parameters

Exposure limits are listed below, if they exist.

ComponentRegulationType of listingValue/NotationPropylene glycolUS WEELTWA10 mg/m3

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Exposure controls

Engineering controls:

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below

exposure limit requirements or guidelines. If there are no applicable exposure limit

requirements or guidelines, general ventilation should be sufficient for most operations. Local

exhaust ventilation may be necessary for some operations.

Individual protection measures

Eye/face protection:

Use safety glasses (with side shields).

Skin protection

Hand protection: Chemical protective gloves should not be needed when handling this material. Consistent with

general hygienic practice for any material, skin contact should be minimized.

Other protection: No precautions other than clean body-covering clothing should be needed.

Respiratory protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit

requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is

experienced, use an approved air-purifying respirator. The following should be effective types

of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Section 9. Physical and chemical properties

Appearance

Odor

Physical State Liquid Color Tan Musty

Odor Threshold No test data available

pH 4.7 1% *pH Electrode* (1% aqueous solution)

Melting point/range Not applicable

Freezing point No test data available No test data available

Flash point closed cup > 100 °C (> 212 °F) Setaflash Closed Cup ASTM D3828

Evaporation Rate

(Butyl Acetate = 1) No test data available

Flammability (solid, gas) No.

Lower explosion limitNo test data availableUpper explosion limitNo test data availableVapor PressureNot applicable

Relative Vapor Density (air = 1) No test data available

Relative Density (water = 1) 1.110 at 20 °C (68 °F) Digital Density Meter (Oscillating Coil)

Water solubility Not applicable

Partition coefficient:

n-octanol/water

Auto-ignition temperature
Decomposition temperature
Dynamic Viscosity

No data available
No test data available
No test data available
No test data available
No test data available

Explosive properties No Thermal

Oxidizing properties No

Liquid Density 1.110 g/cm3 at 20 °C (68 °F) *Digital density meter*

Molecular weight No data available

Surface tension 60.0 mN/m at 20 °C (68 °F) *EC Method A5*

Page 4 of 10

NOTE: The physical data presented above are typical values and should not be construed as a specification.

Section 10. Stability and reactivity

Reactivity: No data available

Chemical stability: Thermally stable at typical use temperatures.

Possibility of hazardous

reactions: Polymerization will not occur.

Conditions to avoid: Some components of this product can decompose at elevated temperatures. Generation of

gas during decomposition can cause pressure in closed systems.

Incompatible materials: Avoid contact with: Strong oxidizers.

Hazardous decomposition

products: Decomposition products depend upon temperature, air supply and the presence of other

materials.

Section 11. Toxicological information

Toxicological information appears in this section when such data is available.

Acute toxicity

Acute oral toxicity Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: LD50, Rat, > 5,000 mg/kg No deaths occurred at this concentration.

Acute dermal toxicity Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: LD50, Rat, > 5,000 mg/kg No deaths occurred at this concentration.

Acute inhalation toxicity No adverse effects are anticipated from single exposure to mist. Excessive exposure may

cause irritation to upper respiratory tract (nose and throat).

As product: LC50, Rat, 4 Hour, Aerosol, > 0.74 mg/l

Maximum attainable concentration.

Skin corrosion/irritation Essentially nonirritating to skin.

Serious eye damage/

eye irritation Essentially nonirritating to eyes.

Sensitization As product: Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization: No relevant data found.

Specific Target Organ Systemic Toxicity

(Single Exposure) Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Specific Target Organ Systemic Toxicity

(Repeated Exposure) For the active ingredient(s):

In animals, effects have been reported on the following organs: Kidney; Liver.

Page **5** of **10**

For the minor component(s):

In animals, effects have been reported on the following organs after exposure to

aerosols: Lung.

Carcinogenicity Active ingredient did not cause cancer in laboratory animals.

Teratogenicity For the active ingredient(s): Did not cause birth defects or any other fetal effects in laboratory

animals.

Reproductive toxicity In animal studies, active ingredient did not interfere with reproduction.

Mutagenicity For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic

toxicity studies were negative.

Aspiration HazardBased on physical properties, not likely to be an aspiration hazard.

Section 12. Ecological information

Ecotoxicological information appears in this section when such data is available.

Toxicity

Acute toxicity to fish For the active ingredient: Material is very highly toxic to aquatic organisms on an acute basis

(LC50/EC50 < 0.1 mg/L in the most sensitive species).

As product: LC50, Oncorhynchus mykiss (rainbow trout), static test, 96 Hour, > 762 mg/l,

OECD Test Guideline 203 or Equivalent

Acute toxicity to

aquatic invertebrates EC50, Daphnia magna (Water flea), static test, 48 Hour, > 457 mg/l,

OECD Test Guideline 202 or Equivalent

Acute toxicity to

mg/l, OECD Test Guideline 201 or Equivalent

For the active ingredient: EbC50, Lemna gibba, 14 d, 0.00329 mg/l

Toxicity to Above Ground Organisms

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

Oral LD50, Colinus virginianus (Bobwhite quail), > 10000mg/kg bodyweight.

Oral LD50, Apis mellifera (bees), 48 Hour, > 99micrograms/bee

Contact LD50, Apis mellifera (bees), 48 Hour, > 100micrograms/bee

Toxicity to soil-dwelling organisms

LC50, Eisenia fetida (earthworms), 14 d, > 10,000 mg/kg

Persistence and degradability

Penoxsulam

Biodegradability: Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.



10-day Window: Fail **Biodegradation:** 14.7 % **Exposure time:** 28 d

Method: OECD Test Guideline 301B or Equivalent

Photodegradation Sensitizer: OH radicals

Atmospheric half-life: 2.1 Hour

Method: Estimated.

Propylene glycol

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. Biodegradation may occur under anaerobic conditions (in the absence of

oxygen).

10-day Window: Pass **Biodegradation:** 81 % **Exposure time:** 28 d

Method: OECD Test Guideline 301F or Equivalent

10-day Window: Not applicable

Biodegradation: 96 % Exposure time: 64 d

Method: OECD Test Guideline 306 or Equivalent

Theoretical Oxygen Demand: 1.68 mg/mg

Chemical Oxygen Demand: 1.53 mg/mg

Biological oxygen demand (BOD)

Incubation Time	BOD
5 d	69.000%
10 d	70.000%
20 d	86.000%

Photodegradation

Atmospheric half-life: 10 Hour

Method: Estimated.

Balance Biodegradability: No relevant data found.

Bioaccumulative potential

Penoxsulam Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): -0.602 Measured

Propylene glycol Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): -1.07 Measured

Bioconcentration factor (BCF): 0.09 Estimated.

<u>Balance</u>

Bioaccumulation: No relevant data found.

Mobility in soil

Penoxsulam Potential for mobility in soil is high (Koc between 50 and 150).

Partition coefficient(Koc): 73 Measured



Propylene glycol

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is

not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient(Koc): < 1 Estimated.

Balance No relevant data found.

Section 13. Disposal considerations

Disposal methods:

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

Section 14. Transport information

DOT Not regulated for transport

Classification for SEA transport (IMO-IMDG):

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Penoxsulam)

UN number UN 3082

Class 9

Packing group III

Marine pollutant Penoxsulam

Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC

or IGC Code Consult IMO regulations before transporting ocean bulk.

Classification for AIR transport (IATA/ICAO):

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.(Penoxsulam)

UN number UN 3082

Class 9 Packing group III

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SOPRO SDS Galleon® SC

Section 15. Regulatory information

OSHA Hazard

Communication Standard This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311

and 312 Chronic Health Hazard

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning

and Community

Right-to-Know Act of 1986)

Section 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental

Hazardous Substance List:

The following product components are cited in the Pennsylvania Hazardous Substance List and/or the Pennsylvania Environmental Substance List, and are present at levels which

require reporting.

ComponentsCASRNPropylene glycol57-55-6

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require

reporting under this statute.

United States TSCA Inventory

(TSCA)

This product contains chemical substance(s) exempt from U.S. EPA TSCA Inventory requirements. It is regulated as a pesticide subject to Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) requirements.

Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number: 67690-47

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for

Page 9 of 10



workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if inhaled

Section 16. Other information

Hazard Rating System

NFPA

Health: 0 Fire: 1 Reactivity: 0

Legend

TWA 8-hr TWA

US WEEL USA. Workplace Environmental Exposure Levels (WEEL)

Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

History

Date of issue: 12/21/15

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.